ATLANTIC FOUNDATIONS

OPTIONS

- 2X6 WALLS W/ R19
- 30# ROOF EXCH 20#
- OSB SHEATHING W/HOUSE WRAP
- HOUSE WRAP
- 086 OIL FURNACE
- 086 GAS FURNACE
- 056 GAS FURNACE
- 40 GALLON WATER HEATER
- DISHWASHER
- WASHER INSTALLED
- ELECTRIC DRYER INSTALLED
- GAS RANGE
- 200 AMP – SINGLES
- FURNACE DOOR
- 9 LITE DOOR EXCH BLANK (REQUIRES 2X6 WALLS)
- SHUTTERS
- PIER SAVER
- R-22 FLOOR INSULATION
- R-30 ROOF INSULATION
- PROGRAMMABLE THERMOSTAT
- PERIMETER OSB SKIRTNG
- FOYER ENTRY
- 1 BULB BEDROOM LIGHT
- 1 PC TUB
- PORCELAIN SINK
- WHOLE HOUSE SHUT OFF
- SHUT OFF VALVES T/O
- CARPET PER SQ FT EXCH LINO
- WIRE SHELF OVER WASHER/DRYER
- SHELF OVER REFRIGERATOR
- CO2 DETECTORS
- FORMICA® BACKSPLASH PER LF
- FEATURE WALLS
- LINED SHELVING @ CABINETS (REPLACES ANY OSB IN CABINETS)
- 30" INTERIOR DOOR EXCH 24" DOOR
- 60" SHOWER EXCH TUB (WHERE APPLICABLE)
- EXTERIOR WATER FAUCET
- 10" IBEAM EXCH 8" – (FORCED IN SOME CASES)
- ADD'L AXLE (FORCED IN SOME CASES)
- RAISED BATHROOM VANITY
- COTTAGE DOOR EXCH BLANK
- BRAKE EXCH IDLER
- 100 AMP EXCH 200 AMP
- CENTER SHELF BASE CABINET
- OPTIONAL INTERIOR DOOR
- FURNACE STACK EXTENSION
- ADD'L WINDOW (AT OPTIONAL AREAS ON PRINT ONLY)
- GUEST OR LINEN CLOSET (AT OPTIONAL AREAS ON PRINT ONLY)
- PLUMB FOR GAS DRYER
- 12" IBEAM EXCH 10" (FORCED IN SOME CASES)



L-37625
FOUNDATIONS

15′-2″ x 76′
3 bed-2 bath
1152 sq. ft.

FOUNDATIONS

by

ATLANTIC® HOMES

ATLANTIC FOUNDATIONS
STANDARDS

- 2X4 EXTERIOR WALL WITH R-11
- I-BEAM WITH REMOVABLE HITCH
- 2X6 FLOOR JOIST (2X8 ON 16′ WIDES)
- R-11 FLOOR / R-22 ROOF INSULATION
- T&G OSB FLOOR DECKING
- 8′ SIDEWALLS WITH FLAT TEXTURED CEILING
- 20# ROOF LOAD
- NOMINAL 3/12 ROOF PITCH
- 3-TAB SHINGLED ROOF
- DUTCHLAP SIDING
- SHUTTERS ON FDS (MULTI SECTION ONLY)
- VENTED CLOSET SHELVES
- 15KW ELECTRIC FURNACE
- IN LINE HEAT REGISTERS
- 30 GALLON WATER HEATER
- PLUMB FOR WASHER / WIRE FOR DRYER
- LINO T/O – SINGLES
- ELECTRIC RANGE
- RANGE HOOD
- 18 CU. FT. FRIDGE
- 6 PANEL STEEL FRONT DOOR
- BLANK REAR DOOR
- 2 PANEL ARCH TOP INTERIOR DOORS WITH KNOBS
- NON LOW E VINYL WINDOW – NO GRIDS
- 100 AMP SINGLES 200 AMP MULTI SECTION
- EXTERIOR GFI
- THERMOSTAT
- SMOKE DETECTOR PER CODE
- WHITE EXTERIOR LIGHTS
- 1 BULB LIGHT FIXTURES
- SWITCHED RECEPTS @ LIVING RM & BEDROOMS
- 60″ 3-PC TUB
- STAINLESS STEEL SINK
- ROUND FRONT TOILET
- BATH VANITY MIRRORS
- VENT FAN W/O LIGHT
- MDF SHAKER CABINETS WITH MDF STILE NO HARDWARE
- BANK OF DRAWERS @ KITCHEN
- FACTORY SELECT INTERIOR COLORS

L-36626
FOUNDATIONS

15′-2″ x 66′
3 bed-2 bath
1001 sq. ft.

FOUNDATIONS

by

ATLANTIC® HOMES



ATLANTIC FOUNDATIONS
STANDARDS

- 2X4 EXTERIOR WALL WITH R-11
- I-BEAM WITH REMOVABLE HITCH
- 2X6 FLOOR JOIST (2X8 ON 16′ WIDES)
- R-11 FLOOR / R-22 ROOF INSULATION
- T&G OSB FLOOR DECKING
- 8′ SIDEWALLS WITH FLAT TEXTURED CEILING
- 20# ROOF LOAD
- NOMINAL 3/12 ROOF PITCH
- 3-TAB SHINGLED ROOF
- DUTCHLAP SIDING
- SHUTTERS ON FDS (MULTI SECTION ONLY)
- VENTED CLOSET SHELVES
- 15KW ELECTRIC FURNACE
- IN LINE HEAT REGISTERS
- 30 GALLON WATER HEATER
- PLUMB FOR WASHER / WIRE FOR DRYER
- LINO T/O – SINGLES
- ELECTRIC RANGE
- RANGE HOOD
- 18 CU. FT. FRIDGE
- 6 PANEL STEEL FRONT DOOR
- BLANK REAR DOOR
- 2 PANEL ARCH TOP INTERIOR DOORS WITH KNOBS
- NON LOW E VINYL WINDOW – NO GRIDS
- 100 AMP SINGLES 200 AMP MULTI SECTION
- EXTERIOR GFI
- THERMOSTAT
- SMOKE DETECTOR PER CODE
- WHITE EXTERIOR LIGHTS
- 1 BULB LIGHT FIXTURES
- SWITCHED RECEPTS @ LIVING RM & BEDROOMS
- 60″ 3-PC TUB
- STAINLESS STEEL SINK
- ROUND FRONT TOILET
- BATH VANITY MIRRORS
- VENT FAN W/O LIGHT
- MDF SHAKER CABINETS WITH MDF STILE NO HARDWARE
- BANK OF DRAWERS @ KITCHEN
- FACTORY SELECT INTERIOR COLORS

A-34426
FOUNDATIONS

26'-8" x 44'
3 bed-2 bath
1173 sq. ft.

FOUNDATIONS

by

ATLANTIC® HOMES



ATLANTIC FOUNDATIONS
STANDARDS

- 2X4 EXTERIOR WALL WITH R-11
- I-BEAM WITH REMOVABLE HITCH
- 2X6 FLOOR JOIST (2X8 ON 16' WIDES)
- R-11 FLOOR / R-22 ROOF INSULATION
- T&G OSB FLOOR DECKING
- 8' SIDEWALLS WITH FLAT TEXTURED CEILING
- 20# ROOF LOAD
- NOMINAL 3/12 ROOF PITCH
- 3-TAB SHINGLED ROOF
- DUTCHLAP SIDING
- SHUTTERS ON FDS (MULTI SECTION ONLY)
- VENTED CLOSET SHELVES
- 15KW ELECTRIC FURNACE
- IN LINE HEAT REGISTERS
- 30 GALLON WATER HEATER
- PLUMB FOR WASHER / WIRE FOR DRYER
- LINO T/O – SINGLES
- ELECTRIC RANGE
- RANGE HOOD
- 18 CU. FT. FRIDGE
- 6 PANEL STEEL FRONT DOOR
- BLANK REAR DOOR
- 2 PANEL ARCH TOP INTERIOR DOORS WITH KNOBS
- NON LOW E VINYL WINDOW – NO GRIDS
- 100 AMP SINGLES 200 AMP MULTI SECTION
- EXTERIOR GFI
- THERMOSTAT
- SMOKE DETECTOR PER CODE
- WHITE EXTERIOR LIGHTS
- 1 BULB LIGHT FIXTURES
- SWITCHED RECEPTS @ LIVING RM & BEDROOMS
- 60" 3-PC TUB
- STAINLESS STEEL SINK
- ROUND FRONT TOILET
- BATH VANITY MIRRORS
- VENT FAN W/O LIGHT
- MDF SHAKER CABINETS WITH MDF STILE NO HARDWARE
- BANK OF DRAWERS @ KITCHEN
- FACTORY SELECT INTERIOR COLORS

A-34825
FOUNDATIONS

26′-8″ x 48′
3 bed-2 bath
1280 sq. ft.

FOUNDATIONS

by

ATLANTIC® HOMES



ATLANTIC FOUNDATIONS
STANDARDS

- 2X4 EXTERIOR WALL WITH R-11
- I-BEAM WITH REMOVABLE HITCH
- 2X6 FLOOR JOIST (2X8 ON 16′ WIDES)
- R-11 FLOOR / R-22 ROOF INSULATION
- T&G OSB FLOOR DECKING
- 8′ SIDEWALLS WITH FLAT TEXTURED CEILING
- 20# ROOF LOAD
- NOMINAL 3/12 ROOF PITCH
- 3-TAB SHINGLED ROOF
- DUTCHLAP SIDING
- SHUTTERS ON FDS (MULTI SECTION ONLY)
- VENTED CLOSET SHELVES
- 15KW ELECTRIC FURNACE
- IN LINE HEAT REGISTERS
- 30 GALLON WATER HEATER
- PLUMB FOR WASHER / WIRE FOR DRYER
- LINO T/O – SINGLES
- ELECTRIC RANGE
- RANGE HOOD
- 18 CU. FT. FRIDGE
- 6 PANEL STEEL FRONT DOOR
- BLANK REAR DOOR
- 2 PANEL ARCH TOP INTERIOR DOORS WITH KNOBS
- NON LOW E VINYL WINDOW – NO GRIDS
- 100 AMP SINGLES 200 AMP MULTI SECTION
- EXTERIOR GFI
- THERMOSTAT
- SMOKE DETECTOR PER CODE
- WHITE EXTERIOR LIGHTS
- 1 BULB LIGHT FIXTURES
- SWITCHED RECEPTS @ LIVING RM & BEDROOMS
- 60″ 3-PC TUB
- STAINLESS STEEL SINK
- ROUND FRONT TOILET
- BATH VANITY MIRRORS
- VENT FAN W/O LIGHT
- MDF SHAKER CABINETS WITH MDF STILE NO HARDWARE
- BANK OF DRAWERS @ KITCHEN
- FACTORY SELECT INTERIOR COLORS

A-35226
FOUNDATIONS

26′-8″ x 52′
3 bed-2 bath
1387 sq. ft.

FOUNDATIONS

by

ATLANTIC® HOMES



ATLANTIC FOUNDATIONS
STANDARDS

- 2X4 EXTERIOR WALL WITH R-11
- I-BEAM WITH REMOVABLE HITCH
- 2X6 FLOOR JOIST (2X8 ON 16′ WIDES)
- R-11 FLOOR / R-22 ROOF INSULATION
- T&G OSB FLOOR DECKING
- 8′ SIDEWALLS WITH FLAT TEXTURED CEILING
- 20# ROOF LOAD
- NOMINAL 3/12 ROOF PITCH
- 3-TAB SHINGLED ROOF
- DUTCHLAP SIDING
- SHUTTERS ON FDS (MULTI SECTION ONLY)
- VENTED CLOSET SHELVES
- 15KW ELECTRIC FURNACE
- IN LINE HEAT REGISTERS
- 30 GALLON WATER HEATER
- PLUMB FOR WASHER / WIRE FOR DRYER
- LINO T/O – SINGLES
- ELECTRIC RANGE
- RANGE HOOD
- 18 CU. FT. FRIDGE
- 6 PANEL STEEL FRONT DOOR
- BLANK REAR DOOR
- 2 PANEL ARCH TOP INTERIOR DOORS WITH KNOBS
- NON LOW E VINYL WINDOW – NO GRIDS
- 100 AMP SINGLES 200 AMP MULTI SECTION
- EXTERIOR GFI
- THERMOSTAT
- SMOKE DETECTOR PER CODE
- WHITE EXTERIOR LIGHTS
- 1 BULB LIGHT FIXTURES
- SWITCHED RECEPTS @ LIVING RM & BEDROOMS
- 60″ 3-PC TUB
- STAINLESS STEEL SINK
- ROUND FRONT TOILET
- BATH VANITY MIRRORS
- VENT FAN W/O LIGHT
- MDF SHAKER CABINETS WITH MDF STILE NO HARDWARE
- BANK OF DRAWERS @ KITCHEN
- FACTORY SELECT INTERIOR COLORS

F-35625
FOUNDATIONS

13′-4″ x 56′
2 bed-1 bath
750 sq. ft.

FOUNDATIONS

by

ATLANTIC® HOMES



ATLANTIC FOUNDATIONS
STANDARDS

- 2X4 EXTERIOR WALL WITH R-11
- I-BEAM WITH REMOVABLE HITCH
- 2X6 FLOOR JOIST (2X8 ON 16′ WIDES)
- R-11 FLOOR / R-22 ROOF INSULATION
- T&G OSB FLOOR DECKING
- 8′ SIDEWALLS WITH FLAT TEXTURED CEILING
- 20# ROOF LOAD
- NOMINAL 3/12 ROOF PITCH
- 3-TAB SHINGLED ROOF
- DUTCHLAP SIDING
- SHUTTERS ON FDS (MULTI SECTION ONLY)
- VENTED CLOSET SHELVES
- 15KW ELECTRIC FURNACE
- IN LINE HEAT REGISTERS
- 30 GALLON WATER HEATER
- PLUMB FOR WASHER / WIRE FOR DRYER
- LINO T/O – SINGLES
- ELECTRIC RANGE
- RANGE HOOD
- 18 CU. FT. FRIDGE
- 6 PANEL STEEL FRONT DOOR
- BLANK REAR DOOR
- 2 PANEL ARCH TOP INTERIOR DOORS WITH KNOBS
- NON LOW E VINYL WINDOW – NO GRIDS
- 100 AMP SINGLES 200 AMP MULTI SECTION
- EXTERIOR GFI
- THERMOSTAT
- SMOKE DETECTOR PER CODE
- WHITE EXTERIOR LIGHTS
- 1 BULB LIGHT FIXTURES
- SWITCHED RECEPTS @ LIVING RM & BEDROOMS
- 60″ 3-PC TUB
- STAINLESS STEEL SINK
- ROUND FRONT TOILET
- BATH VANITY MIRRORS
- VENT FAN W/O LIGHT
- MDF SHAKER CABINETS WITH MDF STILE NO HARDWARE
- BANK OF DRAWERS @ KITCHEN
- FACTORY SELECT INTERIOR COLORS

A-35626
FOUNDATIONS

26′-8″ x 56′
4bed-2 bath
1493 sq. ft.

FOUNDATIONS

by

ATLANTIC® HOMES





4 bedrooms option

ATLANTIC FOUNDATIONS
STANDARDS

- 2X4 EXTERIOR WALL WITH R-11
- I-BEAM WITH REMOVABLE HITCH
- 2X6 FLOOR JOIST (2X8 ON 16′ WIDES)
- R-11 FLOOR / R-22 ROOF INSULATION
- T&G OSB FLOOR DECKING
- 8′ SIDEWALLS WITH FLAT TEXTURED CEILING
- 20# ROOF LOAD
- NOMINAL 3/12 ROOF PITCH
- 3-TAB SHINGLED ROOF
- DUTCHLAP SIDING
- SHUTTERS ON FDS (MULTI SECTION ONLY)
- VENTED CLOSET SHELVES
- 15KW ELECTRIC FURNACE
- IN LINE HEAT REGISTERS
- 30 GALLON WATER HEATER
- PLUMB FOR WASHER / WIRE FOR DRYER
- LINO T/O – SINGLES
- ELECTRIC RANGE
- RANGE HOOD
- 18 CU. FT. FRIDGE
- 6 PANEL STEEL FRONT DOOR
- BLANK REAR DOOR
- 2 PANEL ARCH TOP INTERIOR DOORS WITH KNOBS
- NON LOW E VINYL WINDOW – NO GRIDS
- 100 AMP SINGLES 200 AMP MULTI SECTION
- EXTERIOR GFI
- THERMOSTAT
- SMOKE DETECTOR PER CODE
- WHITE EXTERIOR LIGHTS
- 1 BULB LIGHT FIXTURES
- SWITCHED RECEPTS @ LIVING RM & BEDROOMS
- 60″ 3-PC TUB
- STAINLESS STEEL SINK
- ROUND FRONT TOILET
- BATH VANITY MIRRORS
- VENT FAN W/O LIGHT
- MDF SHAKER CABINETS WITH MDF STILE NO HARDWARE
- BANK OF DRAWERS @ KITCHEN
- FACTORY SELECT INTERIOR COLORS

A-34425
FOUNDATIONS

26-8" x 40'
3 bed-2 bath
1067 sq. ft.

FOUNDATIONS

by

ATLANTIC® HOMES



ATLANTIC FOUNDATIONS
STANDARDS

- 2X4 EXTERIOR WALL WITH R-11
- I-BEAM WITH REMOVABLE HITCH
- 2X6 FLOOR JOIST (2X8 ON 16' WIDES)
- R-11 FLOOR / R-22 ROOF INSULATION
- T&G OSB FLOOR DECKING
- 8' SIDEWALLS WITH FLAT TEXTURED CEILING
- 20# ROOF LOAD
- NOMINAL 3/12 ROOF PITCH
- 3-TAB SHINGLED ROOF
- DUTCHLAP SIDING
- SHUTTERS ON FDS (MULTI SECTION ONLY)
- VENTED CLOSET SHELVES
- 15KW ELECTRIC FURNACE
- IN LINE HEAT REGISTERS
- 30 GALLON WATER HEATER
- PLUMB FOR WASHER / WIRE FOR DRYER
- LINO T/O – SINGLES
- ELECTRIC RANGE
- RANGE HOOD
- 18 CU. FT. FRIDGE
- 6 PANEL STEEL FRONT DOOR
- BLANK REAR DOOR
- 2 PANEL ARCH TOP INTERIOR DOORS WITH KNOBS
- NON LOW E VINYL WINDOW – NO GRIDS
- 100 AMP SINGLES 200 AMP MULTI SECTION
- EXTERIOR GFI
- THERMOSTAT
- SMOKE DETECTOR PER CODE
- WHITE EXTERIOR LIGHTS
- 1 BULB LIGHT FIXTURES
- SWITCHED RECEPTS @ LIVING RM & BEDROOMS
- 60" 3-PC TUB
- STAINLESS STEEL SINK
- ROUND FRONT TOILET
- BATH VANITY MIRRORS
- VENT FAN W/O LIGHT
- MDF SHAKER CABINETS WITH MDF STILE NO HARDWARE
- BANK OF DRAWERS @ KITCHEN
- FACTORY SELECT INTERIOR COLORS

F-36627
FOUNDATIONS

13′-4″ x 66′
3 bed-2 bath
880 sq. ft.

FOUNDATIONS

by

ATLANTIC® HOMES



ATLANTIC FOUNDATIONS
STANDARDS

- 2X4 EXTERIOR WALL WITH R-11
- I-BEAM WITH REMOVABLE HITCH
- 2X6 FLOOR JOIST (2X8 ON 16′ WIDES)
- R-11 FLOOR / R-22 ROOF INSULATION
- T&G OSB FLOOR DECKING
- 8′ SIDEWALLS WITH FLAT TEXTURED CEILING
- 20# ROOF LOAD
- NOMINAL 3/12 ROOF PITCH
- 3-TAB SHINGLED ROOF
- DUTCHLAP SIDING
- SHUTTERS ON FDS (MULTI SECTION ONLY)
- VENTED CLOSET SHELVES
- 15KW ELECTRIC FURNACE
- IN LINE HEAT REGISTERS
- 30 GALLON WATER HEATER
- PLUMB FOR WASHER / WIRE FOR DRYER
- LINO T/O – SINGLES
- ELECTRIC RANGE
- RANGE HOOD
- 18 CU. FT. FRIDGE
- 6 PANEL STEEL FRONT DOOR
- BLANK REAR DOOR
- 2 PANEL ARCH TOP INTERIOR DOORS WITH KNOBS
- NON LOW E VINYL WINDOW – NO GRIDS
- 100 AMP SINGLES 200 AMP MULTI SECTION
- EXTERIOR GFI
- THERMOSTAT
- SMOKE DETECTOR PER CODE
- WHITE EXTERIOR LIGHTS
- 1 BULB LIGHT FIXTURES
- SWITCHED RECEPTS @ LIVING RM & BEDROOMS
- 60″ 3-PC TUB
- STAINLESS STEEL SINK
- ROUND FRONT TOILET
- BATH VANITY MIRRORS
- VENT FAN W/O LIGHT
- MDF SHAKER CABINETS WITH MDF STILE NO HARDWARE
- BANK OF DRAWERS @ KITCHEN
- FACTORY SELECT INTERIOR COLORS

F-35227
FOUNDATIONS

13′-4″ x 52′
2 bed-1 bath
693 sq. ft.

FOUNDATIONS

by

ATLANTIC® HOMES





OPTIONAL FRONT LIVING ROOM (1 BEDROOM)

ATLANTIC FOUNDATIONS
STANDARDS

- 2X4 EXTERIOR WALL WITH R-11
- I-BEAM WITH REMOVABLE HITCH
- 2X6 FLOOR JOIST (2X8 ON 16′ WIDES)
- R-11 FLOOR / R-22 ROOF INSULATION
- T&G OSB FLOOR DECKING
- 8′ SIDEWALLS WITH FLAT TEXTURED CEILING
- 20# ROOF LOAD
- NOMINAL 3/12 ROOF PITCH
- 3-TAB SHINGLED ROOF
- DUTCHLAP SIDING
- SHUTTERS ON FDS (MULTI SECTION ONLY)
- VENTED CLOSET SHELVES
- 15KW ELECTRIC FURNACE
- IN LINE HEAT REGISTERS
- 30 GALLON WATER HEATER
- PLUMB FOR WASHER / WIRE FOR DRYER
- LINO T/O – SINGLES
- ELECTRIC RANGE
- RANGE HOOD
- 18 CU. FT. FRIDGE
- 6 PANEL STEEL FRONT DOOR
- BLANK REAR DOOR
- 2 PANEL ARCH TOP INTERIOR DOORS WITH KNOBS
- NON LOW E VINYL WINDOW – NO GRIDS
- 100 AMP SINGLES 200 AMP MULTI SECTION
- EXTERIOR GFI
- THERMOSTAT
- SMOKE DETECTOR PER CODE
- WHITE EXTERIOR LIGHTS
- 1 BULB LIGHT FIXTURES
- SWITCHED RECEPTS @ LIVING RM & BEDROOMS
- 60″ 3-PC TUB
- STAINLESS STEEL SINK
- ROUND FRONT TOILET
- BATH VANITY MIRRORS
- VENT FAN W/O LIGHT
- MDF SHAKER CABINETS WITH MDF STILE NO HARDWARE
- BANK OF DRAWERS @ KITCHEN
- FACTORY SELECT INTERIOR COLORS

A-36225
FOUNDATIONS

26′-8″ x 62′
3 bed-2 bath
1653 sq. ft.

FOUNDATIONS

by

ATLANTIC® HOMES



ATLANTIC FOUNDATIONS
STANDARDS

- 2X4 EXTERIOR WALL WITH R-11
- I-BEAM WITH REMOVABLE HITCH
- 2X6 FLOOR JOIST (2X8 ON 16′ WIDES)
- R-11 FLOOR / R-22 ROOF INSULATION
- T&G OSB FLOOR DECKING
- 8′ SIDEWALLS WITH FLAT TEXTURED CEILING
- 20# ROOF LOAD
- NOMINAL 3/12 ROOF PITCH
- 3-TAB SHINGLED ROOF
- DUTCHLAP SIDING
- SHUTTERS ON FDS (MULTI SECTION ONLY)
- VENTED CLOSET SHELVES
- 15KW ELECTRIC FURNACE
- IN LINE HEAT REGISTERS
- 30 GALLON WATER HEATER
- PLUMB FOR WASHER / WIRE FOR DRYER
- LINO T/O – SINGLES
- ELECTRIC RANGE
- RANGE HOOD
- 18 CU. FT. FRIDGE
- 6 PANEL STEEL FRONT DOOR
- BLANK REAR DOOR
- 2 PANEL ARCH TOP INTERIOR DOORS WITH KNOBS
- NON LOW E VINYL WINDOW – NO GRIDS
- 100 AMP SINGLES 200 AMP MULTI SECTION
- EXTERIOR GFI
- THERMOSTAT
- SMOKE DETECTOR PER CODE
- WHITE EXTERIOR LIGHTS
- 1 BULB LIGHT FIXTURES
- SWITCHED RECEPTS @ LIVING RM & BEDROOMS
- 60″ 3-PC TUB
- STAINLESS STEEL SINK
- ROUND FRONT TOILET
- BATH VANITY MIRRORS
- VENT FAN W/O LIGHT
- MDF SHAKER CABINETS WITH MDF STILE NO HARDWARE
- BANK OF DRAWERS @ KITCHEN
- FACTORY SELECT INTERIOR COLORS

A-34425
FOUNDATIONS

26'-8" x 44'
3 bed-2 bath
1173 sq. ft.

FOUNDATIONS

by

ATLANTIC® HOMES



ATLANTIC FOUNDATIONS
STANDARDS

- 2X4 EXTERIOR WALL WITH R-11
- I-BEAM WITH REMOVABLE HITCH
- 2X6 FLOOR JOIST (2X8 ON 16' WIDES)
- R-11 FLOOR / R-22 ROOF INSULATION
- T&G OSB FLOOR DECKING
- 8' SIDEWALLS WITH FLAT TEXTURED CEILING
- 20# ROOF LOAD
- NOMINAL 3/12 ROOF PITCH
- 3-TAB SHINGLED ROOF
- DUTCHLAP SIDING
- SHUTTERS ON FDS (MULTI SECTION ONLY)
- VENTED CLOSET SHELVES
- 15KW ELECTRIC FURNACE
- IN LINE HEAT REGISTERS
- 30 GALLON WATER HEATER
- PLUMB FOR WASHER / WIRE FOR DRYER
- LINO T/O – SINGLES
- ELECTRIC RANGE
- RANGE HOOD
- 18 CU. FT. FRIDGE
- 6 PANEL STEEL FRONT DOOR
- BLANK REAR DOOR
- 2 PANEL ARCH TOP INTERIOR DOORS WITH KNOBS
- NON LOW E VINYL WINDOW – NO GRIDS
- 100 AMP SINGLES 200 AMP MULTI SECTION
- EXTERIOR GFI
- THERMOSTAT
- SMOKE DETECTOR PER CODE
- WHITE EXTERIOR LIGHTS
- 1 BULB LIGHT FIXTURES
- SWITCHED RECEPTS @ LIVING RM & BEDROOMS
- 60" 3-PC TUB
- STAINLESS STEEL SINK
- ROUND FRONT TOILET
- BATH VANITY MIRRORS
- VENT FAN W/O LIGHT
- MDF SHAKER CABINETS WITH MDF STILE NO HARDWARE
- BANK OF DRAWERS @ KITCHEN
- FACTORY SELECT INTERIOR COLORS